


FOR SALE · SET 01 OF 03

EXHIBITION STAND KIT · STORED WEYBRIDGE, SURREY



UNIBOX MOD-U-LOK · UK-MADE · BEMATRIX-COMPATIBLE

Mod-U-Lok

6m × 3m Modular Stand

A complete, show-proven aluminium stand built by Unibox in 2024. It scales from a 6m × 3m showpiece down to 4m × 3m, 3m × 3m and 3m × 2m. It includes lit roof panels, a 2.48m lightbox tower, timber feature beams, lighting and furniture, and joins directly to beMatrix frames.

LARGEST BUILD

6m × 3m

ALSO BUILDS

4×3 · 3×3 · 3×2m

FRAME SYSTEM

Mod-U-Lok, 62mm
grid

COMPATIBLE WITH

beMatrix b62 frames
grid

OFFERED AS

Offers invited – complete set

ENQUIRIES & VIEWING

Wayne Freeman · wayne@experio.uk

From a 6m x 3m showpiece to a 3m x 2m shell

The same frames have been rebuilt to fit four different plots. Split-height walls (1,984 + 496mm), custom 186, 372, 434 and 558mm infill widths, and two roof systems mean every build is exact to the plot.


MAXIMUM BUILD

6m x 3m

FERMA 2024, Madrid (stands C33 + C34 joined). The rear wall runs 6,014mm, with a lightbox tower, green wall, timber beams and a lockable lightbox counter.



Built: 6m frontage, Madrid



Plan: FERMA 2024 layout


MID-SIZE BUILD

4m x 3m

AIRMIC 2025, Liverpool (stand 112). A 4m long wall (3,961mm of frames), an overhead downlit arch, two beMatrix SAM lights and the green wall.



Built: AIRMIC 2025



Plan: AIRMIC 2025 layout


COMPACT BUILD

3m x 3m

AMRAE 2026 (stand 59). A 2,969mm frame run on a 3,000mm plot, with a beam roof, pendant lights and a setback lightbox. Swapping the two 434mm frames fits a smaller plot.



Built: AMRAE 2026




Plan: AMRAE 2026 layout

The kit also builds as a 3m x 2m stand: AIRMIC 2026, Birmingham (stand 56) used a 3m long side and a 2m short side with a 1,984mm canopy roof.

Joins straight to beMatrix, with the same pins

Mod-U-Lok was chosen as a **beMatrix-equivalent**. beMatrix first designed this same 6m stand (quote VO2401777, Feb 2024), and Unibox then built it in Mod-U-Lok (drawing UA47874, May 2024) on the same frame modules. Both systems share the 62mm connection grid and the same metric frame sizes, so the frames sit side by side and **join with standard joining pins** through the aligned holes.



How they join: a beMatrix frame (left) and a Mod-U-Lok frame (right) butt together. Their holes line up on the shared 62mm pitch, and a standard joining pin passes through both profiles and locks them together.

	MOD-U-LOK (THIS KIT)	BEMATRIX B62
Connection grid	62mm centres	62mm module
Frame widths	496 · 992 · 1,488 (+558, 744)	496 · 992 · 1,488 (+558)
Frame heights	496 · 1,984 · 2,480 · 2,976	496 · 1,984 · 2,480 · 2,976
Same-size example	ML1S 0496 2480	606 0496 2480
Joining pins	Long pin ML1ALCP + M18 collar; short pin ML1ASCP + T-bolt	D30 M8 pin connectors
Profile depth	55mm	62mm

- “Both Mod-U-Lok and Unibox System can be used in conjunction with other similar modular systems.”

UNIBOX, MOD-U-LOK PRODUCT BROCHURE
- **Grow the stand** with beMatrix frames, doors, LEDskin or lightboxes
 - **Mix with contractor stock:** beMatrix is widely held by stand builders across Europe
 - **beMatrix accessories already fitted:** 4 SAM lights used on these frames at AIRMIC 2025




Long connector pin + M18 collar (≈90)



Short connecting pin, 35 × 74mm (≈80)



beMatrix SAM lights ×4, in this kit



beMatrix design of this 6m stand (VO2401777)

Unibox Mod-U-Lok: engineered aluminium, built to a bespoke drawing

The stand was designed by Experio and manufactured by Unibox to drawing **UA47874 "Stand Model – Mod-u-lok Stand" (Rev B, May 2024)**. Every frame is a Mod-U-Lok assembly on the system's 62mm CNC connection grid, so it reconfigures, extends and takes standard Unibox parts, which can still be ordered direct.

MANUFACTURER

Unibox

United Aluminium Ltd

HQ Greenside Way, Middleton,
Manchester M24 1SQ

Web unibox.co.uk

Tel +44 (0)161 655 2100


About Mod-U-Lok

Unibox's modular system of aluminium profiles, connectors and accessories for temporary and permanent structures. Standard frames run from 310 to 1,488mm wide and up to 2,976mm high, and everything joins on a precision 62mm grid with an Allen key. Unibox designs and makes the system in-house in Manchester. It is a Made in Britain member and holds ISO 9001 and ISO 14001.

Why it was chosen: in Experio's 2024 comparison against beMatrix and ISOframe, Mod-U-Lok gave beMatrix-grade rigidity, but its frames break down flat for storage and transport. Parts also come from the UK, with no customs.

Frame configuration highlights

- **23 wall frames:** standard ML1S sizes 496 to 1,488mm wide, plus custom 186, 372 and 434mm widths for exact plot fits
- **Split-height walls:** 1,984mm + 496mm frames stack to 2,480mm, so a wall can run as one frame or two
- **Six roof frames** (744 and 558mm widths) span a 2m or 3m roof run (see Roof options)
- **Seamless 2-way TFS corner posts** (×4, 2,480mm) and **four-way posts** (×7), three of them with 620mm galvanised extensions that carry the timber beams
- **Double-sided SEG** on both faces of every frame, with cables run inside the profile
- **Modified 496 × 2,480 frame** with steel brackets and timber blocking to hang a TV or green-wall board
- **Full hardware set:** around 170 connector pins, roof plates, ceiling and patress brackets, in a Stanley FatMax case



Unibox drawing UA47874: plan, elevations and joint details. The as-drawn footprint is 3,964 × 2,976mm, and the 186mm rear returns use bespoke corner connectors.



Bare frame at build-up, showing the 62mm-grid profile, split-height walls and the beam-support post.


Integrated roof, a built-in lightbox and layered light



ROOF TYPE 1 • UB-F-029/030

Lit SEG ceiling, 2m–3m run


A 744 × 1,984mm Mod-U-Lok frame with a white, black-backed SEG ceiling and **two pre-wired recessed downlights**. A 744 × 744mm extension frame takes the run to 2,728mm for 3m stands.



ROOF TYPE 2 • UB-F-031-034

558mm braced roof set


Four custom 558mm-wide frames (1,364, 1,612, 868 and 1,984mm). The 1,984mm frame is cross-braced into four cells, with **three downlight cut-outs** and a matching white SEG ceiling.



FEATURE ROOF • UB-E-010-012

Oak-effect timber beams


Three 2,030mm and three 1,530mm hollow 100 × 100mm beams on **Mod-U-Lok aluminium inserts**, for 2.5m and 2m stands. Each is pre-drilled to drop a pendant light. End caps are included.



LIGHTBOX • UB-E-001

Unibox Ledge 150 lightbox tower

700 × 150 × 2,480mm, built by Unibox (drawing UA47899) in white RAL 9003 Ledge 150 profile. It has a **12-bar LED backlight on a 200W 24V driver** and bolts into the four-way post.



FEATURE WALL • UNIT-01

Backlit logo slat wall

A Mod-U-Lok 496 × 2,480mm column clad in oak-effect slats, with a **backlit cut-out logo**, six RGBW COB strips on a 200W 24V IP67 supply, and a remote. Change the logo panel and it can be rebranded.



COUNTER • UNIT-02

Lockable lightbox counter

1,100 × 500 × 1,052mm, white high-gloss. It houses a **PIXLIP GO 1,000 × 1,000mm SEG lightbox**, has lockable rear double doors, and breaks down into five parts for transport.



Illuminated cupboard table (Wrights Plastics): a 1,000 × 1,000mm frosted acrylic top lit by 10 LED strips, over a lockable storage cupboard.

Lighting package

- **18m RGBW COB LED surround** with white diffusers, a 300W driver and colour remote: the blue halo in the show photos
- **Pendants:** 3 Knightsbridge geometric cages, 5 braided-flex pendant sets and filament lamps
- **Overhead:** 4 beMatrix SAM light units and 5 × 320mm wide-beam LED arm lights
- **Spares:** Enlite / Aurora IP44 downlights, RGBW and white strip reels, drivers and controllers

What's in the set

REF	ITEM	QTY	MAKE / SOURCE
FRAMES & STRUCTURE · UNIBOX MOD-U-LOK			
UB-F-003-013	Mod-U-Lok straight frames ML1S, standard 62mm-grid sizes: 992×1984, 496×992, 496×2480, 496×1984, 496×496, 1488×496	13	Unibox
UB-F-001-012	Custom-width frames: 186×1984, 434×496, 434×1984, 1488×1984, 372×2480	9	Unibox (custom)
UB-F-014	496×2480 frame assembly with steel brackets + blocking for TV / green wall	1	Unibox, modified
UB-F-017	Seamless 2-way TFS corner post, 2,480mm	4	Unibox
UB-F-018/019	Four-way posts: 4 × 2,360mm, 3 × 1,916mm with 620mm galvanised extension	7	Unibox, modified
UB-F-020/021	620mm pole extensions, 35mm square (3 plain, 3 with bracket)	6	Unibox, modified
UB-F-022-026	Connector pins (≈80 short, ≈90 long + M18 collars), roof plates (4 × 250, 2 × 375), 14 ceiling brackets, 12 patress brackets	set	Unibox
UB-F-027/028	Stanley FatMax Pro-Stack hardware case; 20 transport packers	set	Stanley / Unibox
ROOF · FRAMES, SEG CEILINGS, TIMBER BEAMS			
UB-F-029/030	Roof type 1: 744×1984 frame, SEG ceiling, 2 wired downlights + 744×744 extension	2	Unibox
UB-F-031-034	Roof type 2: 558mm frames 1364 / 1612 / 868 / 1984 (braced, SEG ceiling)	4	Unibox
UB-E-010/011	Oak-effect timber ceiling beams on aluminium inserts, 2,030 / 1,530mm	6	Custom
UB-E-012	Beam end caps / sleeves, assorted	set	Custom
LIGHTBOXES & FEATURE UNITS			
UB-E-001	Unibox Ledge 150 lightbox tower 700×150×2480, LED backlit	1	Unibox
UNIT-01	Backlit logo slat wall, RGBW COB, 200W PSU	1	Experio build on Mod-U-Lok
UNIT-02	Lockable lightbox counter with PIXLIP GO 1000×1000 SEG lightbox	1	PIXLIP / Experio
UB-E-003	Illuminated cupboard table, 1000×1000 acrylic top, 200W	1	Wrights Plastics
LIGHTING			
UB-L-018	RGBW COB LED surround strip, 18m, 300W driver + remote	1	—
UB-L-008-010	Pendant sets (5), Knightsbridge geometric cages (3), filament lamps (3)	set	Knightsbridge / Colours
UB-L-016/017	320mm LED arm lights (5); beMatrix SAM light units (4)	9	generic / beMatrix
UB-L-001-015	LED strip reels, drivers, RGBW controllers, downlight spares, sundries	set	Enlite, Aurora
FEATURE WALL PANELS			
UB-E-015/014	Artificial green wall, 25 × 500mm panels (6.25m², Class C) + flower corner panel	1 set	EverGreenery
FURNITURE, SAFETY & FLOOR			
UB-E-037	Grey vinyl rolls 1.8×3m and 2.55×3m; grey carpet 2.5×3m	3	Tarkett
UB-S-001-003	1kg powder extinguisher, fire blanket, first-aid kit	3	Fireshield


Quantities come from the August 2026 inventory and are confirmed on viewing. Printed graphics, TVs, the TV stand, the fridge, electrical cabling and plugs, and artificial plants are not included in this sale. All frames are bare aluminium, and no fire rating is published for the profile.

Every item, photographed


Each item matches a line of the August 2026 stock inventory and its reference photograph. 50 entries over 5 pages.



STAND ELEMENTS · UB-E-001
Unibox lightbox tower, 700 × 2,480mm
Qty 1 · 700 × 150 × 2480 (W x D x H)...




STAND ELEMENTS · UB-E-003
Illuminated Cupboard & Table Top (mini-...
Qty 1 · Cupboard: 5mm frosted acrylic to...




STAND ELEMENTS · UB-E-010
Custom Wooden Ceiling Beam -...
Qty 3 · 2030 × 100 × 100 (L x W x H, hollow.....



STAND ELEMENTS · UB-E-011
Custom Wooden Ceiling Beam -...
Qty 3 · 1530 × 100 × 100 (L x W x H)...



STAND ELEMENTS · UB-E-012
Wood Beam End Caps / Sleeves - assorted...
Qty 1 · Various sizes. Section approx. 100m...




STAND ELEMENTS · UB-E-013
Wood Slat Closer Panel (logo feature...
Qty 1 · 485 × 2400 (+100mm height...




STAND ELEMENTS · UB-E-014
Green Flower Wall - Corner Panel
Qty 1 · 490 × 2440 (W x H) - depth not measure...



STAND ELEMENTS · UB-E-015
Green Wall - Artificial Plant Wall (25 ×...
Qty 1 · 500 × 500 per panel (0.25 sq m...



STAND ELEMENTS · UB-E-032
Table Cloth - Black (small)
Qty 3 · 1400mm x 1800mm...



STAND ELEMENTS · UB-E-033
Table Cloth - Black (large)
Qty 1 · 2750mm x 1800mm...




STAND ELEMENTS · UB-E-037
Flooring & Carpet Rolls
- assorted (SET, size...
Qty 1 · 1. Grey Vinyl:
180cm x 300cm...



FRAMES & HARDWARE · UB-F-001
Frame Custom Size – 186 × 1984mm
Qty 2
Custom-size Mod-U-L...



FRAMES & HARDWARE · UB-F-003
Frame Standard – 992 × 1984mm
Qty 2
Mod-U-Lok straight...



FRAMES & HARDWARE · UB-F-004
Frame Standard – 992 × 496mm
Qty 2
Mod-U-Lok straight...



FRAMES & HARDWARE · UB-F-005
Frame Standard – 496 × 2480mm
Qty 1
Mod-U-Lok straight...



FRAMES & HARDWARE · UB-F-006
Frame Standard – 496 × 1984mm
Qty 2
Mod-U-Lok straight...



FRAMES & HARDWARE · UB-F-007
Frame Standard – 496 × 496mm
Qty 2
Mod-U-Lok straight...



FRAMES & HARDWARE · UB-F-008
Frame Custom Size – 434 × 496 (496+198...
Qty 2
Custom-size Mod-U-L...



FRAMES & HARDWARE · UB-F-009
Frame Custom Size – 434 × 1984mm
Qty 2
Custom-size Mod-U-L...



FRAMES & HARDWARE · UB-F-010
Frame Standard – 1488 × 496mm
Qty 2
Mod-U-Lok straight...



FRAMES & HARDWARE ·
UB-F-011

Frame Custom Size – 1488 × 1984mm

Qty 2
Custom-size Mod-U-Lok...



FRAMES & HARDWARE ·
UB-F-012

Frame Custom Size – 372 × 2480mm

Qty 1
Custom-size Mod-U-Lok...



FRAMES & HARDWARE ·
UB-F-013

Frame Standard – 496 × 1984mm


Qty 2
Mod-U-Lok straight...



FRAMES & HARDWARE ·
UB-F-014

Straight Frame Assembly - Modifie...

Qty 1
Full-height (2480mm)...



FRAMES & HARDWARE ·
UB-F-017

Seamless Corner Frame/Post – 62 ×...

Qty 4
Mod-U-Lok Seamless...



FRAMES & HARDWARE ·
UB-F-018

Four-Way Post – 62 × 2360mm

Qty 4
Mod-U-Lok Four-Way...



FRAMES & HARDWARE ·
UB-F-019

Four-Way Post with Extension Bracket – ...

Qty 3
Mod-U-Lok Four-Way...



FRAMES & HARDWARE ·
UB-F-020

620mm Pole - Extension & Brace – ...

Qty 3
620mm pole extension,...



FRAMES & HARDWARE ·
UB-F-021

620mm Pole Extension - With...

Qty 3
620mm pole extension,...



FRAMES & HARDWARE ·
UB-F-022

Short Connecting Pin 35×74 – 35 × 74mm

Qty approx. 80
Mod-U-Lok Short...



FRAMES & HARDWARE ·
UB-F-023

**Long Connector Pin +
M18 Collar 35x149 –...**

Qty approx. 90
Mod-U-Lok Long...



FRAMES & HARDWARE ·
UB-F-024

**Roof Plate Connector -
250mm, 2-screw –...**

Qty 4
Mod-U-Lok roof/ceilin...



FRAMES & HARDWARE ·
UB-F-025 – 025

**Roof Plate Connector -
375mm, 4-screw –...**



FRAMES & HARDWARE ·
UB-F-026

**Ceiling Bracket with
Short Pin Connector...**

Qty 14
Mod-U-Lok Ceiling...



FRAMES & HARDWARE ·
UB-F-027

**Bracket & Connector
Storage Box (Stanley...**

Qty 1
Stanley FatMax 'Pro...



FRAMES & HARDWARE ·
UB-F-028

**Secure Packer -
transport protection...**

Qty 20
Grey rigid plastic/PVC...



FRAMES & HARDWARE ·
UB-F-029

**Integrated Unit -
Roof/Ceiling Panel –...**

Qty 1
Mod-U-Lok 744 ×...



FRAMES & HARDWARE ·
UB-F-030

**Integrated Unit -
Roof/Ceiling Panel –...**

Qty 1
Mod-U-Lok 744 ×...



FRAMES & HARDWARE ·
UB-F-031

**Integrated Unit -
Roof/Ceiling Panel –...**

Qty 1
Mod-U-Lok custom–...



FRAMES & HARDWARE ·
UB-F-032

**Integrated Unit -
Roof/Ceiling Panel –...**

Qty 1
Mod-U-Lok custom–...



FRAMES & HARDWARE · UB-F-033
Integrated Unit - Roof/Ceiling Panel -...
Qty 1
Mod-U-Lok custom-...



FRAMES & HARDWARE · UB-F-034
Integrated Unit - Roof/Ceiling Panel -...
Qty 1
Mod-U-Lok custom-...



FEATURE UNITS · UNIT-01
Backlit Logo Feature Wall (Integrated...
496 x ~200 (facade extension) x 2480...



FEATURE UNITS · UNIT-02
Custom Lightbox Cupboard Counter...
1100 x 500 x 1052
Custom-built lockable...



LIGHTING · UB-L-001 - 015
RGBW LED strip - loose coils with 4-co...



LIGHTING · UB-L-003 - 006
Warm/white LED strip reels - boxed (black...



LIGHTING · UB-L-007 - 013
COB / high-density LED strip - white...



LIGHTING · UB-L-009
Knightsbridge 'Pendant Cage'...
Qty 3 boxed
Boxed black wire...



LIGHTING · UB-L-016 - 018
Wide-spread LED downlight bar -...



SAFETY · UB-S-001 - 003
Fire extinguisher - 1kg dry powder...

Built, shown and rebuilt across Europe

FERMA 2024 in Madrid, AIRMIC 2025 in Liverpool, AMRAE 2026 and AIRMIC 2026 in Birmingham, each rebuilt to fit the plot.



FERMA 2024: slat feature wall and lit table



FERMA 2024: lightbox tower and timber beams



AIRMIC 2025: corner view, counter and lightbox



AMRAE 2026: pendant-lit beam roof



AMRAE 2026: lightbox, slat wall and stools




Roof type 1 with downlights through the SEG



Bare frame: 62mm-grid profile at build-up



In store at Weybridge, part-built



Slat wall with COB LED, in store

ENQUIRIES & VIEWING

Wayne Freeman
Experio Services Ltd
wayne@experio.uk

LOCATION

Weybridge, Surrey
Viewing by appointment. Buyer collects, or delivery by arrangement.

TERMS

Offers invited – complete set
Sold as seen, as a single lot. Mains items should be PAT tested before use.